

Outdoor

Typology: Suspension

Description / Descripción

Hanging lamp with shade made of high quality ceramic fired at 1040°.
Finished with slip surrounding, available in three different colors.

Matt opal blown glass sphere diffuser.

Ceiling rosette and black electric cable.

Luminaire suitable for outdoor use. IP54


Luminaria de suspensión con pantalla fabricada en cerámica de alta calidad cocida a 1040°.

Acabada con engobe vitrificado disponible en tres tonos diferentes.

Difusor de esfera de vidrio soplado en opal mate.

Florón y cable eléctrico negro.

Luminaria apta para su uso en exteriores. IP54



Light Source / Fuente de luz

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)

European version

NC.S016G
NC.S016T
NC.S016W

A+

1xE27 LED 6W

USA version

TUS.NC.S016G
TUS.NC.S016T
TUS.NC.S016W

1x6W LED Medium base 120V

Bulb included / Bombilla incluida

Packaging / Embalaje

1 box


32x32x25 cm / 0,025 m³
13"x13"x10" / 0,89 ft³

Peso neto: 1,5 Kg
Net weight: 3,3 lb

Materials & Finishings / Materiales y acabados

Ceramic shade with slip surrounding
Pantalla de cerámica con engobe vitrificado

Available in three different finishes
Disponible en tres acabados diferentes



Matt opal glass
Vidrio opal mate

Black metal canopy
Florón lacado negro

*(RAL 9005)

Black electrical cable
Cable eléctrico negro

Certifications:

CE
IP54

USA Certifications:

ETL
Intertek
4006546


Wet
Location

Suitable for outdoor use / Apta para uso exterior




Compositions


Indoor use only / Solo para uso interior




European version		
 NC.S203G		 3xE27 LED 6W
 NC.S203T		
 NC.S203W		
USA version		
 TUS.NC.S203G		 3x6W LED Medium base 120V
 TUS.NC.S203T		
 TUS.NC.S203W		



European version		
 NC.S205G		 5x E27 LED 6W
 NC.S205T		
 NC.S205W		
USA version		
 TUS.NC.S205G		 5x 6W LED Medium base 120V
 TUS.NC.S205T		
 TUS.NC.S205W		



European version		
 NC.S303G		 3xE27 LED 6W
 NC.S303T		
 NC.S303W		
USA version		
 TUS.NC.S303G		 3x6W LED Medium base 120V
 TUS.NC.S303T		
 TUS.NC.S303W		



European version		
 NC.S305G		 5xE27 LED 6W
 NC.S305T		
 NC.S305W		
USA version		
 TUS.NC.S305G		 5x6W LED Medium base 120V
 TUS.NC.S305T		
 TUS.NC.S305W		


Outdoor

Typology: Suspension

Description / Descripción

Hanging lamp with shade made of high quality ceramic fired at 1040°.
Finished with slip surrounding, available in three different colors.
Matt opal blown glass sphere diffuser.
Ceiling rosette and black electric cable.
Luminaire suitable for outdoor use. IP54

*Luminaria de suspensión con pantalla fabricada en cerámica de alta calidad cocida a 1040°.
Acabada con engobe vitrificado disponible en tres tonos diferentes.
Difusor de esfera de vidrio soplado en opal mate.
Florón y cable eléctrico negro.
Luminaria apta para su uso en exteriores. IP54*



Light Source / Fuente de luz

Voltage: 220-230V / 50-60Hz
120V / 60Hz (USA)

European version

NC.S027G
NC.S027T
NC.S027W

A+

1xE27 LED 14W

USA version

TUS.NC.S027G
TUS.NC.S027T
TUS.NC.S027W

1x13W LED Medium base 120V

Bulb included / Bombilla incluida



Packaging / Embalaje

1 box


42x42x35 cm / 0,062 m³
17"x17"x14" / 2,2 ft³

Peso neto: 4,5 Kg
Net weight: 10 lb

Materials & Finishings / Materiales y acabados

Ceramic shade with slip surrounding
Pantalla de cerámica con engobe vitrificado

Available in three different finishes
Disponible en tres acabados diferentes



Matt opal glass
Vidrio opal mate

Black metal canopy
Florón lacado negro

*(RAL 9005)

Black electrical cable
Cable eléctrico negro

Certifications:

CE
IP54

USA Certifications:

ETL
Intertek
4006546

Wet
Location

Suitable for outdoor use / Apta para uso exterior