

# hoola

design by jos muller




With its very light and minimal design HOOLA creates an archetypical light circle. The soft light is directed upwards and downwards while its highly efficient led-light curves along with the lamp shape.

HOOLA is available in 60, 100 and 140cm diameter. HOOLA will be a real eyecatcher when different diameters are combined. It can be arranged in horizontal, angled or even vertical positions. The lamps can be placed close to a ceiling in free open spaces.



private house (kortrijk, belgium) by lighthouse europe, photo by beedcollectief.be

**hoola 60**



lamp type	<b>LED</b>
colour temp.	<b>2400K / 2700K / 3000K</b>
max. watt	<b>36W</b>
voltage	<b>230V</b>
lumen	<b>2120</b>
class	<b>1</b>
gear	<b>incorporated</b>
diameter	<b>600 mm</b>
height	<b>25 (max 2500) mm</b>

**order code 2400K**

white	<b>T92H3DWL</b>
black	<b>T92H3DZL</b>


**order code 2700K**

white	<b>T92H9DWL</b>
black	<b>T92H9DZL</b>

**order code 3000K**

white	<b>T92H1DWL</b>
black	<b>T92H1DZL</b>

**hoola 100**



lamp type	<b>LED</b>
colour temp.	<b>2400K / 2700K / 3000K</b>
max. watt	<b>60W</b>
voltage	<b>230V</b>
lumen	<b>3540</b>
class	<b>1</b>
gear	<b>incorporated</b>
diameter	<b>1000 mm</b>
height	<b>25 (max 2500) mm</b>

**order code 2400K**

white	<b>T92H4DWL</b>
black	<b>T92H4DZL</b>


**order code 2700K**

white	<b>T92H10DWL</b>
black	<b>T92H10DZL</b>

**order code 3000K**

white	<b>T92H2DWL</b>
black	<b>T92H2DZL</b>

**hoola 140**



lamp type	<b>LED</b>
colour temp.	<b>2400K / 2700K / 3000K</b>
max. watt	<b>90W</b>
voltage	<b>230V</b>
lumen	<b>4950</b>
class	<b>1</b>
gear	<b>incorporated</b>
diameter	<b>1400 mm</b>
height	<b>25 (max 2500) mm</b>

**order code 2400K**

white	<b>T92H17DWL</b>
black	<b>T92H17DZL</b>

**order code 2700K**

white	<b>T92H14DWL</b>
black	<b>T92H14DZL</b>


**order code 3000K**

white	<b>T92H13DWL</b>
black	<b>T92H13DZL</b>



LCL (Diegem, Belgium) by Verlichting.be

### hoola 60 dim



lamp type	<b>LED</b>
colour temp.	<b>2400K / 2700K / 3000K</b>
max. watt	<b>36W</b>
voltage	<b>230V</b>
lumen	<b>2120</b>
class	<b>1</b>
gear	<b>incorporated (DIM 0-10V)</b>
diameter	<b>600 mm</b>
height	<b>25 (max 2500) mm</b>

#### order code 2400K

white	<b>T92H3DWLD</b>
black	<b>T92H3DZLD</b>


#### order code 2700K

white	<b>T92H9DWLD</b>
black	<b>T92H9DZLD</b>

#### order code 3000K

white	<b>T92H1DWLD</b>
black	<b>T92H1DZLD</b>

### hoola 100 dim



lamp type	<b>LED</b>
colour temp.	<b>2400K / 2700K / 3000K</b>
max. watt	<b>60W</b>
voltage	<b>230V</b>
lumen	<b>3540</b>
class	<b>1</b>
gear	<b>incorporated (DIM 0-10V)</b>
diameter	<b>1000 mm</b>
height	<b>25 (max 2500) mm</b>

#### order code 2400K

white	<b>T92H4DWLD</b>
black	<b>T92H4DZLD</b>


#### order code 2700K

white	<b>T92H10DWLD</b>
black	<b>T92H10DZLD</b>

#### order code 3000K

white	<b>T92H2DWLD</b>
black	<b>T92H2DZLD</b>

### hoola 140 dim



lamp type	<b>LED</b>
colour temp.	<b>2400K / 2700K / 3000K</b>
max. watt	<b>90W</b>
voltage	<b>230V</b>
lumen	<b>4950</b>
class	<b>1</b>
gear	<b>incorporated (DIM 0-10V)</b>
diameter	<b>1400 mm</b>
height	<b>25 (max 2500) mm</b>

#### order code 2400K

white	<b>T92H17DWLD</b>
black	<b>T92H17DZLD</b>


#### order code 2700K

white	<b>T92H14DWLD</b>
black	<b>T92H14DZLD</b>

#### order code 3000K

white	<b>T92H13DWLD</b>
black	<b>T92H13DZLD</b>

### hoola driver & driver box S



#### order code drivers not dimmable

60W	<b>MW60</b>
100W	<b>MW90</b>

#### order code drivers 0-10V

40W	<b>MW40DIM</b>
60W	<b>MW60DIM</b>
90W	<b>MW90DIM</b>

#### driver box S

diameter	<b>270 mm</b>
height	<b>55 mm</b>

#### order code

white	<b>TP36PWL</b>
black	<b>TP36PZL</b>

### hoola driver & driver box L



#### order code drivers not dimmable

60W	<b>MW60</b>
100W	<b>MW90</b>

#### order code drivers 0-10V

40W	<b>MW40DIM</b>
60W	<b>MW60DIM</b>
90W	<b>MW90DIM</b>
120W	<b>MW120DIM</b>


#### driver box L

diameter	<b>400 mm</b>
height	<b>55 mm</b>

#### order code

white	<b>TP37PWL</b>
black	<b>TP37PZL</b>

### hoola driver box rectangular



#### order code drivers not dimmable

60W	<b>MW60</b>
100W	<b>MW90</b>

#### order code drivers 0-10V


40W	<b>MW40DIM</b>
60W	<b>MW60DIM</b>
90W	<b>MW90DIM</b>
120W	<b>MW120DIM</b>

#### driver box rectangular


height	<b>40 mm</b>
length	<b>300 mm</b>
width	<b>70 mm</b>

#### order code

white	<b>T51LWL</b>
black	<b>T51LZL</b>



**hoola 60**  
without base & driver



lamp type	<b>LED</b>
colour temp.	<b>2400K / 2700K / 3000K</b>
max. watt	<b>36W</b>
voltage	<b>24V</b>
lumen	<b>2120</b>
class	<b>2</b>
gear	<b>not incorporated</b>
diameter	<b>600 mm</b>
height	<b>25 (max 2500) mm</b>

**order code 2400K**

white	<b>T92H7DWL</b>
black	<b>T92H7DZL</b>


**order code 2700K**

white	<b>T92H11DWL</b>
black	<b>T92H11DZL</b>

**order code 3000K**

white	<b>T92H5DWL</b>
black	<b>T92H5DZL</b>

**hoola 100**  
without base & driver



lamp type	<b>LED</b>
colour temp.	<b>2400K / 2700K / 3000K</b>
max. watt	<b>60W</b>
voltage	<b>24V</b>
lumen	<b>3540</b>
class	<b>2</b>
gear	<b>not incorporated</b>
diameter	<b>1000 mm</b>
height	<b>25 (max 2500) mm</b>

**order code 2400K**

white	<b>T92H8DWL</b>
black	<b>T92H8DZL</b>


**order code 2700K**

white	<b>T92H12DWL</b>
black	<b>T92H12DZL</b>

**order code 3000K**

white	<b>T92H6DWL</b>
black	<b>T92H6DZL</b>

**hoola 140**  
without base & driver



lamp type	<b>LED</b>
colour temp.	<b>2400K / 2700K / 3000K</b>
max. watt	<b>90W</b>
voltage	<b>24V</b>
lumen	<b>4950</b>
class	<b>2</b>
gear	<b>not incorporated</b>
diameter	<b>1400 mm</b>
height	<b>25 (max 2500) mm</b>

**order code 2400K**

white	<b>T92H18DWL</b>
black	<b>T92H18DZL</b>

**order code 2700K**

white	<b>T92H16DWL</b>
black	<b>T92H16DZL</b>

**order code 3000K**

white	<b>T92H15DWL</b>
black	<b>T92H15DZL</b>

